


High Quality RNA for Next Generation Sequencing, Hybridization, RT-PCR, and more

TRizol[®] IN




RNA OUT


High-quality small & large RNA



Non-biased miRNA recovery



Trusted & Proven



Lee, Bongyong, et al. "The **long noncoding RNA** SPRIGHTLY acts as an intranuclear organizing hub for pre-mRNA molecules." **Science Advances** 3.5 (2017): e1602505.

Zemmour, David, et al. "Flicr, a **long noncoding RNA**, modulates Foxp3 expression and autoimmunity." **PNAS** 114.17 (2017): E3472-E3480.

Errichelli, Lorenzo, et al. "FUS affects **circular RNA** expression in murine embryonic stem cell-derived motor neurons." **Nature Communications** 8 (2017).

Kennedy, J. L., et al. "**Complete Genome Sequence** of a Novel WU Polyomavirus Isolate from Arkansas, USA, Associated with Acute Respiratory Infection." **Genome announcements** 5.2 (2017): e01452-16.

Hrabeta-Robinson, Eva, et al. "**High-Throughput Small RNA** Sequencing Enhanced by AlkB-Facilitated RNA de-Methylation (ARM-Seq)." **RNA Methylation: Methods and Protocols** (2017): 231-243.

Product	Cat. No.	Size
Direct-zol™ RNA Microprep	R2060, R2061* R2062, R2063*	50 Preps. (≤10 µg RNA) 200 Preps. (≤10 µg RNA)
Direct-zol™ RNA Miniprep	R2050, R2051* R2052, R2053*	50 Preps. (≤50 µg RNA) 200 Preps. (≤50 µg RNA)
Direct-zol™ RNA Miniprep Plus	R2070, R2071* R2072, R2073*	50 Preps. (≤100 µg RNA) 200 Preps. (≤100 µg RNA)

96-well spin plate & MagBead formats also available

* = Supplied with TRI Reagent[®]

Try a free sample and experience the future today!

zymoresearch.com/direct-zol
or call (888) 882-9682





THE RNA INSTITUTE
COLLEGE OF ARTS & SCIENCES UNIVERSITY AT ALBANY

5th Annual Symposium

'RNA in Translational Biomedical Research'

March 14 – 16, 2018

Speakers to include:

Dave Bartel, (PhD)

National Academy of Sciences Member, HHMI Principal Investigator;
Professor of Biology, Massachusetts Institute of Technology

Peter Dedon, (MD, PhD)

Professor of Biological Engineering, Massachusetts Institute of Technology

Christine Dunham, (PhD)

Assistant Professor of Biochemistry, Emory University School of Medicine

Christopher Holley, (MD, PhD)

Assistant Professor of Medicine, Duke University

Alan Lambowitz, (PhD)

National Academy of Sciences Member;
Professor of Molecular Biosciences, University of Texas at Austin

Pascale Legault, (PhD)

Professor of Biochemistry and Molecular Biology, Université de Montréal

Eda Yildirim, (PhD)

Assistant Professor of Cell Biology, Duke University


www.rna.albany.edu

Setting a New Standard for **Superior mRNA Translation** CleanCap™ Technology

Successful development of mRNA therapeutics relies on reproducible, high-efficiency production of capped mRNA. CleanCap™ is a new co-transcriptional chemical process for mRNA capping that sets a new standard:


- 90 – 99% capping efficiency
- Natural Cap 1 mRNA to reduce cellular innate immune response
- Simplified transcription process
- Lowest cost per milligram of biologically active Cap 1 mRNA

Available as catalog and custom mRNA, as well as reagents for capping mRNA in your own lab. Visit CleanCapmRNA.com to see even more proof.



ARCA EGFP mRNA

VS



CleanCap™ EGFP mRNA

TriLink BioTechnologies – Leading the Way in mRNA™

Follow us on   

© 2017 TriLink BioTechnologies. All rights reserved.
Images courtesy of Beniag, GmbH.

 CleanCap™


CRISPR

Dharmacon reagents help you move forward. Faster.

Simplify gene editing workflow with the Dharmacon™ Edit-R™ CRISPR-Cas9 platform. Custom or predesigned ready-to-use DNA and synthetic RNA leverage a validated algorithm to select highly functional, specific targets for gene knockout – enabling you to quickly assess multiple target sites per gene across one or hundreds of genes.

CRISPR Guide RNAs | CRISPR Screening Libraries | Cas9 Nucleases

crRNAs that have high functionality scores show high editing efficiency



HEK293T-CAG-Cas9 cells were transfected with either high-scoring or low-scoring crRNAs (50 nM crRNA:tracrRNA) using DharmaFECT 1 transfection reagent (0.25 μ L/well) in 96-well format. Gene editing efficiencies were determined using next-generation sequencing. 93% of the top 10 high-scoring crRNAs targeting ten different genes have > 40% indel formation and only 33% of the 10 lowest scoring designs have > 40% indel formation.

AACR

American Association
for Cancer Research®

ANNUAL MEETING

2018 ★ CHICAGO




APRIL 14-18, 2018 • MCCORMICK PLACE NORTH/SOUTH • CHICAGO, ILLINOIS • AACR.ORG • #AACR18

DRIVING INNOVATIVE CANCER SCIENCE TO PATIENT CARE

Join us in Chicago, for the latest innovative and inspiring cancer research from around the world...

THE AACR ANNUAL MEETING 2018!

The AACR Annual Meeting highlights the work of the best minds in cancer research and medicine from institutions all over the world. This meeting presents the many scientific discoveries across the breadth of cancer research – from population science and prevention, to cancer biology, translational, and clinical studies; to survivorship and advocacy. You will form new collaborations and learn how to apply exciting new concepts, tools, and techniques to your research. This year's program, with the theme of "Driving Innovative Cancer Science to Patient Care," will be a comprehensive, cutting-edge scientific event that you will not want to miss!



Register and save by February 5, 2018

Become a Member! Join the AACR and receive a discount on registration.

We look forward to seeing you in Chicago!