

RNA

A PUBLICATION OF THE RNA SOCIETY

VOL. 26, NO. 7



JULY 2020

CONTENTS

Review

- Overcoming the bottleneck to widespread testing: a rapid review of nucleic acid testing approaches for COVID-19 detection 771^{OA}
Meagan N. Esbin, Oscar N. Whitney, Shasha Chong, Anna Maurer, Xavier Darzacq, and Robert Tjian

Bioinformatics

- Splicing conservation signals in plant long noncoding RNAs 784
Jose Antonio Corona-Gomez, Irving Jair Garcia-Lopez, Peter F. Stadler, and Selene L. Fernandez-Valverde
- Evaluating DCA-based method performances for RNA contact prediction by a well-curated data set 794
Fabrizio Pucci, Mehari B. Zerihun, Emanuel K. Peter, and Alexander Schug
- An ancient evolutionary connection between Ribonuclease A and EndoU families 803
Arcady Mushegian, Irina Sorokina, Alexey Eroshkin, and Mensur Dlakić

Reports

- Autogenous regulation in vivo of the *rpmE* gene encoding ribosomal protein L31 (bL31), a key component of the protein–protein intersubunit bridge B1b 814^{OA}
Leonid V. Aseev, Ludmila S. Koledinskaya, and Irina V. Boni
- Sulfonated inhibitors of the RNA editing ligases validate the essential role of the MRP1/2 proteins in kinetoplastid RNA editing 827^{OA}
Vaibhav Mehta, Houtan Moshiri, Akshaya Srikanth, Smriti Kala, Julius Lukeš, and Reza Salavati

Articles

- Role of the central junction in folding topology of the protein-free human U2–U6 snRNA complex 836
Huong Chu, William Perea, and Nancy L. Greenbaum
- (continued)

Cover Illustration: Spinach RNA aptamer/Fab complex (PDB id: 6b14; Koirala D, Shelke SA, Dupont M, Ruiz S, DasGupta S, Bailey LJ, Benner SA, Piccirilli JA. 2018. Affinity maturation of a portable Fab-RNA module for chaperone-assisted RNA crystallography. Nucleic Acids Res 46: 2624–2635). Novel Fab-RNA module can serve as an affinity tag for RNA purification and imaging and as a chaperone for RNA crystallography. RNA is displayed as a red ribbon; block bases use NDB colors: A—red, C—yellow, G—green, U—cyan; the Fab chains are displayed as gold ribbons. The image was generated using 3DNA/blocview and PyMol software. Cover image provided by the Nucleic Acid Database (ndbserver.rutgers.edu).

RNA-GPS predicts high-resolution RNA subcellular localization and highlights the role of splicing <i>Kevin E. Wu, Kevin R. Parker, Furqan M. Fazal, Howard Y. Chang, and James Zou</i>	851
Functional regions in the 5' external transcribed spacer of yeast pre-rRNA <i>Jing Chen, Liman Zhang, and Keqiong Ye</i>	866
Structure and ligand binding of the ADP-binding domain of the NAD ⁺ riboswitch <i>Lin Huang, Jia Wang, and David M.J. Lilley</i>	878 ^{OA}
Method	
A rapid and simple quantitative method for specific detection of smaller coterminal RNA by PCR (DeSCo-PCR): application to the detection of viral subgenomic RNAs <i>Pulkit Kanodia, K. Reddisiva Prasanth, Vicky C. Roa-Linares, Shelton S. Bradrick, Mariano A. Garcia-Blanco, and W. Allen Miller</i>	888 ^{OA}
RNA: Instructions for contributors	902

^{OA}Open Access paper